

Muse Group Accessibility Conformance Report

International Edition

(Based on VPAT® Version 2.5)

Name of Product/Version: Audacity 3.7.3 on Windows

Report Date: May 2025

Product Description: Audacity is a free open source application for recording and editing audio.

Contact Information:

Address: MuseCY SM Ltd., Spyrou Kyprianou, 84, 4004, Limassol, Cyprus

Email: feedback@audacityteam.org

Notes:

Evaluation Methods Used: Tools used for the evaluation include: Jaws, NVDA, and Narrator screen readers, Accessibility Insights for Windows, and various accessibility features of Windows.

Applicable Standards/Guidelines

This report covers the degree of conformance for the following accessibility standard/guidelines:

Standard/Guideline	Included In Report
Web Content Accessibility Guidelines 2.0	Level A (Yes) Level AA (Yes) Level AAA (No)
Web Content Accessibility Guidelines 2.1	Level A (Yes) Level AA (Yes) Level AAA (No)
Web Content Accessibility Guidelines 2.2	Level A (No) Level AA (No) Level AAA (No)
Revised Section 508 standards published January 18, 2017 and corrected January 22, 2018	(Yes)
EN 301 549 Accessibility requirements for ICT products and services - V3.1.1 (2019-11) AND EN 301 549 Accessibility requirements for ICT products and services - V3.2.1 (2021-03)	(Yes)

Terms

The terms used in the Conformance Level information are defined as follows:

- **Supports:** The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
- **Partially Supports:** Some functionality of the product does not meet the criterion.
- **Does Not Support:** The majority of product functionality does not meet the criterion.
- **Not Applicable:** The criterion is not relevant to the product.
- **Not Evaluated:** The product has not been evaluated against the criterion. This can only be used in WCAG Level AAA criteria.

WCAG 2.x Report

Tables 1 and 2 also document conformance with:

- EN 301 549: Chapter 9 - Web, Sections 10.1-10.4 of Chapter 10 - Non-Web documents, and Sections 11.1-11.4 and 11.8.2 of Chapter 11 - Non-Web Software (open and closed functionality), and Sections 12.1.2 and 12.2.4 of Chapter 12 – Documentation
- Revised Section 508: Chapter 5 – 501.1 Scope, 504.2 Content Creation or Editing, and Chapter 6 – 602.3 Electronic Support Documentation.

Note: When reporting on conformance with the WCAG 2.x Success Criteria, they are scoped for full pages, complete processes, and accessibility-supported ways of using technology as documented in the [WCAG 2.0 Conformance Requirements](#).

Table 1: Success Criteria, Level A

Notes:

Criteria	Conformance Level	Remarks and Explanations
<p>1.1.1 Non-text Content (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.1.1.1 (Web) 10.1.1.1 (Non-web document) 11.1.1.1.1 (Open Functionality Software) 11.1.1.1.2 (Closed Functionality Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	<p>Web:</p> <p>Electronic Docs:</p> <p>Software: Partially Supports</p> <p>Closed:</p> <p>Authoring Tool:</p>	<p>Web:</p> <p>Electronic Docs:</p> <p>Software: For most non-text content, a text alternative is provided. Exceptions include:</p> <ul style="list-style-type: none"> graphs which occur in some effects have no text alternative. <p>Closed:</p> <p>Authoring Tool:</p>
<p>1.2.1 Audio-only and Video-only (Prerecorded) (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.1.2.1 (Web) 10.1.2.1 (Non-web document) 11.1.2.1.1 (Open Functionality Software) 11.1.2.1.2.1 and 11.1.2.1.2.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	<p>Web:</p> <p>Electronic Docs:</p> <p>Software: Supports</p> <p>Closed:</p> <p>Authoring Tool:</p>	<p>Web:</p> <p>Electronic Docs:</p> <p>Software: The product does not contain an audio-only or video-only prerecorded media.</p> <p>Closed:</p> <p>Authoring Tool:</p>

Criteria	Conformance Level	Remarks and Explanations
<p><u>1.2.2 Captions (Prerecorded)</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.2.2 (Web) • 10.1.2.2 (Non-web document) • 11.1.2.2 (Open Functionality Software) • 11.1.2.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Web:</p> <p>Electronic Docs:</p> <p>Software: Supports</p> <p>Closed:</p> <p>Authoring Tool:</p>	<p>Web:</p> <p>Electronic Docs:</p> <p>Software: The product does not contain any synchronized prerecorded media.</p> <p>Closed:</p> <p>Authoring Tool:</p>
<p><u>1.2.3 Audio Description or Media Alternative (Prerecorded)</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.2.3 (Web) • 10.1.2.3 (Non-web document) • 11.1.2.3.1 (Open Functionality Software) • 11.1.2.3.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Web:</p> <p>Electronic Docs:</p> <p>Software: Supports</p> <p>Closed:</p> <p>Authoring Tool:</p>	<p>Web:</p> <p>Electronic Docs:</p> <p>Software: The product does not contain any synchronized prerecorded media.</p> <p>Closed:</p> <p>Authoring Tool:</p>
<p><u>1.3.1 Info and Relationships</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.3.1 (Web) • 10.1.3.1 (Non-web document) 	<p>Web:</p> <p>Electronic Docs:</p> <p>Software: Partially Supports</p> <p>Closed:</p> <p>Authoring Tool:</p>	<p>Web:</p> <p>Electronic Docs:</p> <p>Software: In most cases, information, structure, and relationships conveyed through presentation can be programmatically determined or are available in text.</p>

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> 11.1.3.1.1 (Open Functionality Software) 11.1.3.1.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 		<p>Exceptions include:</p> <ul style="list-style-type: none"> In some dialogs, a text box and a slider share the same label, but the slider has an empty accessibility name. <p>Closed:</p> <p>Authoring Tool:</p>
<p>1.3.2 Meaningful Sequence (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.1.3.2 (Web) 10.1.3.2 (Non-web document) 11.1.3.2.1 (Open Functionality Software) 11.1.3.2.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	<p>Web:</p> <p>Electronic Docs:</p> <p>Software: Supports</p> <p>Closed:</p> <p>Authoring Tool:</p>	<p>Web:</p> <p>Electronic Docs:</p> <p>Software: When the sequence in which content is presented affects its meaning, a correct reading sequence can be programmatically determined.</p> <p>Closed:</p> <p>Authoring Tool:</p>
<p>1.3.3 Sensory Characteristics (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.1.3.3 (Web) 10.1.3.3 (Non-web document) 11.1.3.3 (Open Functionality Software) 11.1.3.3 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) 	<p>Web:</p> <p>Electronic Docs:</p> <p>Software: Supports</p> <p>Closed:</p> <p>Authoring Tool:</p>	<p>Web:</p> <p>Electronic Docs:</p> <p>Software: Instructions provided for understanding and operating content do not rely solely on sensory characteristics of components.</p> <p>Closed:</p> <p>Authoring Tool:</p>

Criteria	Conformance Level	Remarks and Explanations
Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 		
<u>1.4.1 Use of Color</u> (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> • 9.1.4.1 (Web) • 10.1.4.1 (Non-web document) • 11.1.4.1 (Open Functionality Software) • 11.1.4.1 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Web: Electronic Docs: Software: Partially Supports Closed: Authoring Tool:	Web: Electronic Docs: Software: In some cases, color is not used as the only visual means of conveying information, indicating an action, prompting a response, or distinguishing a visual element. Exceptions include: <ul style="list-style-type: none"> • whether or not a track is selected. • the state of the mute and solo toggle buttons in track control panels. • the state of the toggle buttons in the toolbars in the main window. Closed: Authoring Tool:
<u>1.4.2 Audio Control</u> (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> • 9.1.4.2 (Web) • 10.1.4.2 (Non-web document) • 11.1.4.2 (Open Functionality Software) • 11.1.4.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Web: Electronic Docs: Software: Supports Closed: Authoring Tool:	Web: Electronic Docs: Software: There is no automatic playing of audio. The playing of audio is controlled by the user. Closed: Authoring Tool:

Criteria	Conformance Level	Remarks and Explanations
<p>2.1.1 Keyboard (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.1.1 (Web) • 10.2.1.1 (Non-web document) • 11.2.1.1.1 (Open Functionality Software) • 11.2.1.1.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Web:</p> <p>Electronic Docs:</p> <p>Software: Partially Supports</p> <p>Closed: See information in 5.1.3.1 through 5.1.3.16</p> <p>Authoring Tool:</p>	<p>Web:</p> <p>Electronic Docs:</p> <p>Software: Most of the product's functionality is operable using its keyboard user interface. There are some controls which cannot be activated using the keyboard, but for which there are alternative ways a keyboard user can access the same functionality. Because of this, these controls do not fail this criterion, and examples are the controls in the track control panels of audio tracks, for example the solo and mute buttons.</p> <p>However there are also some controls which cannot be activated using the keyboard, and for which there aren't alternatives for keyboard users. These exceptions include:</p> <ul style="list-style-type: none"> • the envelope points in time tracks and audio tracks. • the context menu of the vertical scale of an audio track. • tooltips of buttons. • the adjustment of the non-destructive trimming of clips. <p>Closed: See information in 5.1.3.1 through 5.1.3.16</p> <p>Authoring Tool:</p>
<p>2.1.2 No Keyboard Trap (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.1.2 (Web) • 10.2.1.2 (Non-web document) • 11.2.1.2 (Open Functionality Software) • 11.2.1.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) 	<p>Web:</p> <p>Electronic Docs:</p> <p>Software: Partially Supports</p> <p>Closed:</p> <p>Authoring Tool:</p>	<p>Web:</p> <p>Electronic Docs:</p> <p>Software: In nearly all cases, if keyboard focus can be moved to a component using a keyboard interface, then focus can be moved away from that component using only a keyboard interface. Exceptions:</p> <ul style="list-style-type: none"> • When saving to or opening from Audio.com, there are rare cases where closing a dialog can leave the product unresponsive to keyboard input. <p>Closed:</p>

Criteria	Conformance Level	Remarks and Explanations
Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 		Authoring Tool:
2.1.4 Character Key Shortcuts (Level A 2.1 and 2.2) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.2.1.4 (Web) 10.2.1.4 (Non-web document) 11.2.1.4.1 (Open Functionality Software) 11.2.1.4.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply	Web: Electronic Docs: Software: Supports Closed: See information in 5.1.3.1 through 5.1.3.16 Authoring Tool:	Web: Electronic Docs: Software: All single character shortcuts can be either remapped and turned off. Closed: See information in 5.1.3.1 through 5.1.3.16 Authoring Tool:
2.2.1 Timing Adjustable (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.2.2.1 (Web) 10.2.2.1 (Non-web document) 11.2.2.1 (Open Functionality Software) 11.2.2.1 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Web: Electronic Docs: Software: Supports Closed: Authoring Tool:	Web: Electronic Docs: Software: The product does not include any time limits. Closed: Authoring Tool:
2.2.2 Pause, Stop, Hide (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.2.2.2 (Web) 	Web: Electronic Docs: Software: Supports Closed:	Web: Electronic Docs: Software: The product does not show any blinking, moving, scrolling or auto-updating information which

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> 10.2.2.2 (Non-web document) 11.2.2.2 (Open Functionality Software) 11.2.2.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Authoring Tool:	starts automatically. Closed: Authoring Tool:
<u>2.3.1 Three Flashes or Below Threshold</u> (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.2.3.1 (Web) 10.2.3.1 (Non-web document) 11.2.3.1 (Open Functionality Software) 11.2.3.1 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Web: Electronic Docs: Software: Supports Closed: Authoring Tool:	Web: Electronic Docs: Software: The product does not contain any flashing content. Closed: Authoring Tool:
<u>2.4.1 Bypass Blocks</u> (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.2.4.1 (Web) 10.2.4.1 (Non-web document) – Does not apply 11.2.4.1 (Open Functionality Software) – Does not apply 11.2.4.1 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 	Web: Electronic Docs: Authoring Tool:	Web: Electronic Docs: Authoring Tool:

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) – Does not apply to non-web software 504.2 (Authoring Tool) 602.3 (Support Docs) – Does not apply to non-web docs 		
2.4.2 Page Titled (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.2.4.2 (Web) 10.2.4.2 (Non-web document) 11.2.4.2 (Open Functionality Software) - Does not apply 11.2.4.2 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Web: Electronic Docs: Software: Supports Authoring Tool:	Web: Electronic Docs: Software: The title of each main window contains the name of the product, and the name of the project, if named. Authoring Tool:
2.4.3 Focus Order (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.2.4.3 (Web) 10.2.4.3 (Non-web document) 11.2.4.3 (Open Functionality Software) 11.2.4.3 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Web: Electronic Docs: Software: Supports Closed: Authoring Tool:	Web: Electronic Docs: Software: The product's focusable components have a logical focus order. Closed: Authoring Tool:

Criteria	Conformance Level	Remarks and Explanations
<p><u>2.4.4 Link Purpose (In Context)</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.4 (Web) • 10.2.4.4 (Non-web document) • 11.2.4.4 (Open Functionality Software) • 11.2.4.4 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Web:</p> <p>Electronic Docs:</p> <p>Software: Supports</p> <p>Closed:</p> <p>Authoring Tool:</p>	<p>Web:</p> <p>Electronic Docs:</p> <p>Software: The purpose of each focusable link can be determined from the link text.</p> <p>Closed:</p> <p>Authoring Tool:</p>
<p><u>2.5.1 Pointer Gestures</u> (Level A 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.5.1 (Web) • 10.2.5.1 (Non-web document) • 11.2.5.1 (Open Functionality Software) • 11.2.5.1 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	<p>Web:</p> <p>Electronic Docs:</p> <p>Software: Supports</p> <p>Closed:</p> <p>Authoring Tool:</p>	<p>Web:</p> <p>Electronic Docs:</p> <p>Software: No functionality uses multipoint or path-based gestures.</p> <p>Closed:</p> <p>Authoring Tool:</p>
<p><u>2.5.2 Pointer Cancellation</u> (Level A 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.5.2 (Web) • 10.2.5.2 (Non-web document) • 11.2.5.2 (Open Functionality Software) • 11.2.5.2 (Closed Software) • 11.8.2 (Authoring Tool) 	<p>Web:</p> <p>Electronic Docs:</p> <p>Software: Partially Supports</p> <p>Closed:</p> <p>Authoring Tool:</p>	<p>Web:</p> <p>Electronic Docs:</p> <p>Software: For most cases pointer cancellation is predictable and consistent. Exceptions:</p> <ul style="list-style-type: none"> • For the time controls in the lower toolbar, when left clicking on the down arrow or right clicking anywhere in the control, the pop up menu is triggered by the down event, and cannot be

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply		<p>canceled.</p> <p>Closed:</p> <p>Authoring Tool:</p>
<p>2.5.3 Label in Name (Level A 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.2.5.3 (Web) 10.2.5.3 (Non-web document) 11.2.5.3.1 (Open Functionality Software) 11.2.5.3.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply	<p>Web:</p> <p>Electronic Docs:</p> <p>Software: Partially Supports</p> <p>Closed:</p> <p>Authoring Tool:</p>	<p>Web:</p> <p>Electronic Docs:</p> <p>Software: For nearly all controls, the text of the visible label is included in the accessible name. Exceptions:</p> <ul style="list-style-type: none"> A small number of controls have no accessible name – see 4.1.2 Name, Role, Value. <p>Closed:</p> <p>Authoring Tool:</p>
<p>2.5.4 Motion Actuation (Level A 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.2.5.4 (Web) 10.2.5.4 (Non-web document) 11.2.5.4 (Open Functionality Software) 11.2.5.4 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply	<p>Web:</p> <p>Electronic Docs:</p> <p>Software: Supports</p> <p>Closed:</p> <p>Authoring Tool:</p>	<p>Web:</p> <p>Electronic Docs:</p> <p>Software: The product has no functionality that is operated by device motion or user motion.</p> <p>Closed:</p> <p>Authoring Tool:</p>
<p>3.1.1 Language of Page (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.3.1.1 (Web) 10.3.1.1 (Non-web document) 11.3.1.1.1 (Open Functionality Software) 11.3.1.1.2 (Closed Software) 11.8.2 (Authoring Tool) 	<p>Web:</p> <p>Electronic Docs:</p> <p>Software: Supports</p> <p>Closed:</p> <p>Authoring Tool:</p>	<p>Web:</p> <p>Electronic Docs:</p> <p>Software: By default the product uses the language set as the display language of Windows, assuming that a translation is available for that language. In addition, a user can manually set the display language of the product.</p> <p>Closed:</p>

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 		Authoring Tool:
3.2.1 On Focus (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.3.2.1 (Web) 10.3.2.1 (Non-web document) 11.3.2.1 (Open Functionality Software) 11.3.2.1 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Web: Electronic Docs: Software: Supports Closed: Authoring Tool:	Web: Electronic Docs: Software: When any component becomes the focus, it does not initiate a change in context. Closed: Authoring Tool:
3.2.2 On Input (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.3.2.2 (Web) 10.3.2.2 (Non-web document) 11.3.2.2 (Open Functionality Software) 11.3.2.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 	Web: Electronic Docs: Software: Supports Closed: Authoring Tool:	Web: Electronic Docs: Software: Changing the setting of any user interface component does not automatically cause a change of context. Closed: Authoring Tool:

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> 602.3 (Support Docs) 		
3.2.6 Consistent Help (Level A 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Web:	Web:
3.3.1 Error Identification (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.3.3.1 (Web) 10.3.3.1 (Non-web document) 11.3.3.1.1 (Open Functionality Software) 11.3.3.1.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Web: Electronic Docs: Software: Partially Supports Closed: Authoring Tool:	Web: Electronic Docs: Software: In many cases, if an input error is automatically detected, the item that is in error is identified and the error is described to the user in text. Exceptions include: <ul style="list-style-type: none"> In some dialogs, if an input error is detected, then either the default commit button of the dialog becomes unavailable, or the value is silently adjusted to be within the allowed range. Closed: Authoring Tool:
3.3.2 Labels or Instructions (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.3.3.2 (Web) 10.3.3.2 (Non-web document) 11.3.3.2 (Open Functionality Software) 11.3.3.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Web: Electronic Docs: Software: Supports Closed: Authoring Tool:	Web: Electronic Docs: Software: Labels or instructions are provided when content requires user input. Closed: Authoring Tool:

Criteria	Conformance Level	Remarks and Explanations
3.3.7 Redundant Entry (Level A 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Web:	Web:
4.1.1 Parsing (Level A) Applies to: WCAG 2.0 and 2.1 – Always answer ‘Supports’ WCAG 2.2 (obsolete and removed) - Does not apply EN 301 549 Criteria <ul style="list-style-type: none"> 9.4.1.1 (Web) 10.4.1.1 (Non-web document) 11.4.1.1.1 (Open Functionality Software) 11.4.1.1.2 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Supports	For WCAG 2.0, 2.1, EN 301 549, and Revised 508 Standards, the September 2023 errata update indicates this criterion is always supported. See the WCAG 2.0 Editorial Errata and the WCAG 2.1 Editorial Errata .
4.1.2 Name, Role, Value (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.4.1.2 (Web) 10.4.1.2 (Non-web document) 11.4.1.2.1 (Open Functionality Software) 11.4.1.2.2 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Web: Electronic Docs: Software: Partially supports Authoring Tool:	Web: Electronic Docs: Software: For most user interface components the name and role can be programmatically determined; states, properties, and values that can be set by the user can be programmatically set; and notification of changes to these items is available to user agents, including assistive technologies. Exceptions include: <ul style="list-style-type: none"> Exceptions noted in 2.1.1 Keyboard. For some sliders the value read by assistive technology is given as a percentage rather than the actual value of the property. However the actual value is provided either in a preceding text control, or added to the accessibility name

Criteria	Conformance Level	Remarks and Explanations
		<p>of the slider.</p> <ul style="list-style-type: none"> Some sliders have no accessibility name, though the purpose can normally be deduced from the previous text control. <p>Authoring Tool:</p>

Table 2: Success Criteria, Level AA

Notes:

Criteria	Conformance Level	Remarks and Explanations
<p>1.2.4 Captions (Live) (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.1.2.4 (Web) 10.1.2.4 (Non-web document) 11.1.2.4 (Open Functionality Software) 11.1.2.4 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	<p>Web:</p> <p>Electronic Docs:</p> <p>Software: Supports</p> <p>Closed:</p> <p>Authoring Tool:</p>	<p>Web:</p> <p>Electronic Docs:</p> <p>Software: The product does not contain any live synchronized media.</p> <p>Closed:</p> <p>Authoring Tool:</p>
<p>1.2.5 Audio Description (Prerecorded) (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.1.2.5 (Web) 10.1.2.5 (Non-web document) 11.1.2.5 (Open Functionality Software) 11.1.2.5 (Closed Software) 	<p>Web:</p> <p>Electronic Docs:</p> <p>Software: Supports</p> <p>Closed:</p> <p>Authoring Tool:</p>	<p>Web:</p> <p>Electronic Docs:</p> <p>Software: The product does not contain any synchronized prerecorded media.</p> <p>Closed:</p> <p>Authoring Tool:</p>

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 		
1.3.4 Orientation (Level AA 2.1 and 2.2) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.1.3.4 (Web) 10.1.3.4 (Non-web document) 11.1.3.4 (Open Functionality Software) 11.1.3.4 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply	Web: Electronic Docs: Software: Supports Closed: Authoring Tool:	Web: Electronic Docs: Software: Content does not restrict its view and operation to a single display orientation. Closed: Authoring Tool:
1.3.5 Identify Input Purpose (Level AA 2.1 and 2.2) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.1.3.5 (Web) 10.1.3.5 (Non-web document) 11.1.3.5.1 (Open Functionality Software) 11.1.3.5.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply	Web: Electronic Docs: Software: Supports Closed: Authoring Tool:	Web: Electronic Docs: Software: The product's technology does not support identifying the expected meaning for form input data. Closed: Authoring Tool:
1.4.3 Contrast (Minimum) (Level AA) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.1.4.3 (Web) 	Web: Electronic Docs: Software: Supports Closed:	Web: Electronic Docs: Software: All text meets the minimum contrast requirements.

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> 10.1.4.3 (Non-web document) 11.1.4.3 (Open Functionality Software) 11.1.4.3 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Authoring Tool:	Closed: Authoring Tool:
1.4.4 Resize text (Level AA) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.1.4.4 (Web) 10.1.4.4 (Non-web document) 11.1.4.4.1 (Open Functionality Software) 11.1.4.4.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Web: Electronic Docs: Software: Partially Supports Closed: Authoring Tool:	Web: Electronic Docs: Software: The best way to resize the text by 200% using the functionality of Windows is to: set the Windows display scaling factor to 200%; on the properties dialog of the product's executable, on the compatibility tab, press the change the high DPI settings button, then override the high dpi scaling behavior, and set the scaling behavior to be performed by system (enhanced). This results in most text being sharp, with only a small amount of text being slightly fuzzy. Closed: Authoring Tool:
1.4.5 Images of Text (Level AA) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.1.4.5 (Web) 10.1.4.5 (Non-web document) 11.1.4.5.1 (Open Functionality Software) 11.1.4.5.2 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 	Web: Electronic Docs: Software: Partially Supports Authoring Tool:	Web: Electronic Docs: Software: In most cases, text is used to convey information rather than images of text. Exceptions include: <ul style="list-style-type: none"> images of text are used in tracks. images of text are used in the time controls in the lower toolbars. Authoring Tool:

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 		
1.4.10 Reflow (Level AA 2.1 and 2.2) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.1.4.10 (Web) 10.1.4.10 (Non-web document) 11.1.4.10 (Open Functionality Software) 11.1.4.10 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply	Web: Electronic Docs: Software: Does Not Support Closed: Authoring Tool:	Web: Electronic Docs: Software: The product's content can not be presented without loss of information or functionality, and without requiring scrolling in two dimensions using the specified magnification. Reasons for failure include: <ul style="list-style-type: none"> the minimum width of the Preferences dialog is too large. With a magnification of 400%, the text cannot be additionally resized by 200% (1.4.4 Resize text). Closed: Authoring Tool:
1.4.11 Non-text Contrast (Level AA 2.1 and 2.2) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.1.4.11 (Web) 10.1.4.11 (Non-web document) 11.1.4.11 (Open Functionality Software) 11.1.4.11 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply	Web: Electronic Docs: Software: Partially supports Closed: Authoring Tool:	Web: Electronic Docs: Software: The visual presentation of user interface components have a contrast ratio of at least 3:1 against adjacent color(s). However this is not the case for some graphical objects, including: <ul style="list-style-type: none"> RMS waveform (when shown). Graphs in the Limiter and Compressor effects. Closed: Authoring Tool:
1.4.12 Text Spacing (Level AA 2.1 and 2.2) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.1.4.12 (Web) 	Web: Electronic Docs: Software: Supports Closed:	Web: Electronic Docs: Software: There are a small number of cases where HTML is used internally for presenting information in

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> 10.1.4.12 (Non-web document) 11.1.4.12 (Open Functionality Software) 11.1.4.12 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply	Authoring Tool:	<p>dialog boxes. But the user cannot change any text spacing properties, so these cases pass this criterion.</p> <p>Closed:</p> <p>Authoring Tool:</p>
<p>1.4.13 Content on Hover or Focus (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.1.4.13 (Web) 10.1.4.13 (Non-web document) 11.1.4.13 (Open Functionality Software) 11.1.4.13 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply	<p>Web:</p> <p>Electronic Docs:</p> <p>Software: Does Not Support</p> <p>Closed:</p> <p>Authoring Tool:</p>	<p>Web:</p> <p>Electronic Docs:</p> <p>Software: The product does not satisfy this criterion because:</p> <ul style="list-style-type: none"> • tooltips are not dismissible. • the mouse pointer cannot be moved over the tooltips. • the tooltips for buttons are not persistent. <p>Closed:</p> <p>Authoring Tool:</p>
<p>2.4.5 Multiple Ways (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.2.4.5 (Web) 10.2.4.5 (Non-web document) – Does not apply 11.2.4.5 (Open Functionality Software) – Does not apply 11.2.4.5 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) – Does not apply to non-web software 504.2 (Authoring Tool) 602.3 (Support Docs) – Does not apply to non-web docs 	<p>Web:</p> <p>Electronic Docs:</p> <p>Authoring Tool:</p>	<p>Web:</p> <p>Electronic Docs:</p> <p>Authoring Tool:</p>

Criteria	Conformance Level	Remarks and Explanations
<u>2.4.6 Headings and Labels</u> (Level AA) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.2.4.6 (Web) 10.2.4.6 (Non-web document) 11.2.4.6 (Open Functionality Software) 11.2.4.6 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Web: Electronic Docs: Software: Supports Closed: Authoring Tool:	Web: Electronic Docs: Software: Headings and labels are descriptive. Closed: Authoring Tool:
<u>2.4.7 Focus Visible</u> (Level AA) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.2.4.7 (Web) 10.2.4.7 (Non-web document) 11.2.4.7 (Open Functionality Software) 11.2.4.7 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Web: Electronic Docs: Software: Partially Supports Closed: Authoring Tool:	Web: Electronic Docs: Software: Almost all focusable elements have a visible keyboard focus indicator. Exception: <ul style="list-style-type: none"> after a toolbar is undocked, the toolbar grabber may incorrectly become the focus, and no focus indicator is shown. Closed: Authoring Tool:
<u>2.4.11 Focus Not Obscured (Minimum)</u> (Level AA 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Web:	Web:
<u>2.5.7 Dragging Movements</u> (Level AA 2.2 only) EN 301 549 Criteria – Does not apply	Web:	Web:

Criteria	Conformance Level	Remarks and Explanations
Revised Section 508 – Does not apply		
2.5.8 Target Size (Minimum) (Level AA 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Web:	Web:
3.1.2 Language of Parts (Level AA) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.3.1.2 (Web) 10.3.1.2 (Non-web document) 11.3.1.2 (Open Functionality Software) – Does not apply 11.3.1.2 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Web: Electronic Docs: Software: Does Not Support Authoring Tool:	Web: Electronic Docs: Software: For some languages, the translation of the product's interface is incomplete. In these cases, some of the display text is in English, rather than the main language, and this cannot be programmatically determined. Authoring Tool:
3.2.3 Consistent Navigation (Level AA) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.3.2.3 (Web) 10.3.2.3 (Non-web document) – Does not apply 11.3.2.3 (Open Functionality Software) – Does not apply 11.3.2.3 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) – Does not apply to non-web software 504.2 (Authoring Tool) 602.3 (Support Docs) – Does not apply to non-web docs 	Web: Electronic Docs: Authoring Tool:	Web: Electronic Docs: Authoring Tool:

Criteria	Conformance Level	Remarks and Explanations
<u>3.2.4 Consistent Identification</u> (Level AA) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.3.2.4 (Web) 10.3.2.4 (Non-web document) – Does not apply 11.3.2.4 (Open Functionality Software) – Does not apply 11.3.2.4 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) – Does not apply to non-web software 504.2 (Authoring Tool) 602.3 (Support Docs) – Does not apply to non-web docs 	Web: Electronic Docs: Authoring Tool:	Web: Electronic Docs: Authoring Tool:
<u>3.3.3 Error Suggestion</u> (Level AA) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.3.3.3 (Web) 10.3.3.3 (Non-web document) 11.3.3.3 (Open Functionality Software) 11.3.3.3 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Web: Electronic Docs: Software: Partially Supports Closed: Authoring Tool:	Web: Electronic Docs: Software: Not all errors are reported to the user in text (3.3.1 Error Identification), but when they are, most suggest how the error can be fixed. Closed: Authoring Tool:
<u>3.3.4 Error Prevention (Legal, Financial, Data)</u> (Level AA) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.3.3.4 (Web) 10.3.3.4 (Non-web document) 	Web: Electronic Docs: Software: Supports Closed: Authoring Tool:	Web: Electronic Docs: Software: The product does not cause legal commitments or financial transactions for the user to occur. Confirmation is requested when deleting or

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> 11.3.3.4 (Open Functionality Software) 11.3.3.4 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 		overwriting audio files. Closed: Authoring Tool:
3.3.8 Accessible Authentication (Minimum) (Level AA 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Web:	Web:
4.1.3 Status Messages (Level AA 2.1 and 2.2) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.4.1.3 (Web) 10.4.1.3 (Non-web document) 11.4.1.3 (Open Functionality Software) 11.4.1.3 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply	Web: Electronic Docs: Software: Supports Authoring Tool:	Web: Electronic Docs: Software: The contents of the status bar are available to assistive technologies. Authoring Tool:

Table 3: Success Criteria, Level AAA

Notes: Not Evaluated

Revised Section 508 Report

Notes:

Chapter 3: [Functional Performance Criteria \(FPC\)](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
302.1 Without Vision	Partially Supports	<p>Most functions of the product are usable without vision. The exceptions are noted in:</p> <ul style="list-style-type: none">• 1.1.1 Non-text Content• 1.3.1 Info and relationships• 2.1.1 Keyboard• 2.1.2 No Keyboard trap• 3.1.2 Language of Parts• 3.3.1 Error Identification• 3.3.3 Error Suggestion• 4.1.2 Name, Role, Value
302.2 With Limited Vision	Partially Supports	<p>Most functions of the product are usable with limited vision. The exceptions are noted in:</p> <ul style="list-style-type: none">• 1.1.1 Non-text Content• 1.3.1 Info and relationships• 1.4.1 Use of Color• 1.4.4 Resize text• 1.4.5 Images of text• 2.1.1 Keyboard• 2.1.2 No Keyboard trap• 2.4.7 Focus visible• 3.1.2 Language of Parts• 3.3.1 Error Identification

Criteria	Conformance Level	Remarks and Explanations
		<ul style="list-style-type: none"> 3.3.3 Error Suggestion 4.1.2 Name, Role, Value
302.3 Without Perception of Color	Partially Supports	<p>Most functions of the product are usable without perception of color. The exceptions are noted in:</p> <ul style="list-style-type: none"> 1.4.1 Use of Color 3.3.1 Error identification
302.4 Without Hearing	Does Not Support	Because the product is an audio editor, it is not usable without hearing.
302.5 With Limited Hearing	Partially Supports	Software: Because the product provides visual representations of audio, for example as waveforms, then the product may be usable with limited hearing.
302.6 Without Speech	Supports	The product does not require the use of speech.
302.7 With Limited Manipulation	Partially Supports	<p>Most of functions of the product are usable with limited manipulation. The exceptions are noted in:</p> <ul style="list-style-type: none"> 2.1.1 Keyboard 2.1.2 No Keyboard trap 2.4.7 Focus visible
302.8 With Limited Reach and Strength	Supports	The product can be used with limited reach and strength.
302.9 With Limited Language, Cognitive, and Learning Abilities	Supports:	<p>Most functions of the product are usable with limited language, cognitive, and learning abilities. The exceptions are noted in:</p> <ul style="list-style-type: none"> 2.4.7 Focus visible 3.3.1 Error Identification 3.3.3 Error Suggestion

Chapter 4: [Hardware](#)

Notes: Not Applicable

Chapter 5: [Software](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
501.1 Scope – Incorporation of WCAG 2.0 AA	See WCAG 2.x section	See information in WCAG 2.x section
502 Interoperability with Assistive Technology	Heading cell – no response required	Heading cell – no response required
502.2.1 User Control of Accessibility Features	Not Applicable	The product is not platform software.
502.2.2 No Disruption of Accessibility Features	Supports	The product does not disrupt platform accessibility features.
502.3 Accessibility Services	Heading cell – no response required	Heading cell – no response required
502.3.1 Object Information	Partially Supports	<p>For most of the user interface elements, the object role, state(s), properties, boundary, and name are programmatically determinable.</p> <p>Exceptions:</p> <ul style="list-style-type: none">• 2.1.1 Keyboard.• The current value of many sliders that is read by assistive technology is given as a percentage, rather than the actual value of the property. However the actual value is provided either in a preceding text control, or added to the accessibility name of the slider.• Some sliders have no accessibility name, though the purpose can normally be deduced from the previous text control.

Criteria	Conformance Level	Remarks and Explanations
502.3.2 Modification of Object Information	Partially supports	Most states and properties that can be set by the user are capable of being set programmatically, including through assistive technology. Exceptions: <ul style="list-style-type: none"> 2.1.1 Keyboard.
502.3.3 Row, Column, and Headers	Supports	The contents of tables, including column headers, are programmatically determinable.
502.3.4 Values	Partially Supports	The range of allowable values associated with an object is not programmatically determinable. The current value of most objects is programmatically determinable. Exceptions: <ul style="list-style-type: none"> 2.1.1 Keyboard The current value of many sliders that is read by assistive technology is given as a percentage, rather than the actual value of the property. However the actual value is either provided in a preceding text control, or added to the accessibility name of the slider.
502.3.5 Modification of Values	Partially Supports	Most values that can be set by the user are capable of being set programmatically, including through assistive technology. Exceptions: <ul style="list-style-type: none"> 2.1.1 Keyboard.
502.3.6 Label Relationships	Partially supports	Most label relationships are programmatically determinable. Exceptions: <ul style="list-style-type: none"> In some dialogs a text box and a slider share the same label, but

Criteria	Conformance Level	Remarks and Explanations
		the slider has an empty accessibility name.
502.3.7 Hierarchical Relationships	Partially Supports	Most hierarchical relationships are programmatically determinable. Exceptions: <ul style="list-style-type: none"> 2.1.1 Keyboard
502.3.8 Text	Partially Supports	In most cases, the content of text objects, text attributes, and the boundary of text rendered to the screen, is programmatically determinable. Exceptions include: <ul style="list-style-type: none"> The names of tracks, clips, and labels. However the content of these text objects is made available to users of assistive technology when relevant commands are executed.
502.3.9 Modification of Text	Supports	Although the names of clips and labels cannot be edited in situ by users of assistive technology, they can be edited in various dialog boxes provided for this purpose.
502.3.10 List of Actions	Partially supports	For most of objects the list of all actions is programmatically determinable. Exceptions: <ul style="list-style-type: none"> 2.1.1 Keyboard. Custom controls for which the list of actions cannot be determined from its role. Examples include the tracks, and the time controls in the lower tool dock.
502.3.11 Actions on Objects	Partially supports	When the lists of actions is available (see 502.3.10), the product allows assistive

Criteria	Conformance Level	Remarks and Explanations
		technology to programmatically execute available actions on objects.
502.3.12 Focus Cursor	Supports	The product exposes information and mechanisms necessary to track focus, text insertion point, and selection attributes of user interface components. Although the names of clips and labels in the main window are an exception to this, optional dialog boxes are provided to work round this issue.
502.3.13 Modification of Focus Cursor	Supports	Focus, text insertion point, and selection attributes that can be set by the user are capable of being set programmatically, including through the use of assistive technology. Although the names of clips and labels in the main window are an exception to this, optional dialog boxes are provided to work round this issue.
502.3.14 Event Notification	Partially Supports	Notification of most events relevant to user interactions are available to assistive technology. Exceptions: <ul style="list-style-type: none"> • 2.1.1 Keyboard.
502.4 Platform Accessibility Features	Not Applicable	The product is not platform software.
503 Applications	Heading cell – no response required	Heading cell – no response required
503.2 User Preferences	Does Not Support	The product's user interface only permits some of the user preferences from applicable platform settings. Exceptions: <ul style="list-style-type: none"> • It does not permit the user preferences from the platform settings for color or contrast. • It does not always permit the user preferences from the platform settings for text.

Criteria	Conformance Level	Remarks and Explanations
503.3 Alternative User Interfaces	Not Applicable	The product does not provide an alternative user interface that functions as assistive technology.
503.4 User Controls for Captions and Audio Description	Heading cell – no response required	Heading cell – no response required
503.4.1 Caption Controls	Not Applicable	The product does not display video with synchronized audio.
503.4.2 Audio Description Controls	Not Applicable	The product does not provide user controls for program selection.
<u>504 Authoring Tools</u>	Heading cell – no response required	Heading cell – no response required
504.2 Content Creation or Editing (if not authoring tool, enter “not applicable”)	See WCAG 2.x section	See information in WCAG 2.x section
504.2.1 Preservation of Information Provided for Accessibility in Format Conversion	Not Applicable	The audio files which the product can import do not contain information required for accessibility.
504.2.2 PDF Export	Not Applicable	The product does not export PDF files.
504.3 Prompts	Not Applicable	None of the audio files which the product can export contains information which needs to conform to WCAG 2.0.
504.4 Templates	Not Applicable	The product does not provide templates.

Chapter 6: [Support Documentation and Services](#)

Notes: Accessibility Conformance Reports for support documentation and services are not currently available.

EN 301 549 Report

Notes:

Chapter [4: Functional Performance Statements \(FPS\)](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
4.2.1 Usage without vision	Partially Supports	<p>Most functions of the product are usable without vision. The exceptions are noted in:</p> <ul style="list-style-type: none">• 1.1.1 Non-text Content• 1.3.1 Info and relationships• 2.1.1 Keyboard• 2.1.2 No Keyboard trap• 2.5.3 Label in Name• 3.1.2 Language of Parts• 3.3.1 Error Identification• 3.3.3 Error Suggestion• 4.1.2 Name, Role, Value
4.2.2 Usage with limited vision	Partially Supports	<p>Most functions of the product are usable with limited vision. The exceptions are noted in:</p> <ul style="list-style-type: none">• 1.1.1 Non-text Content• 1.3.1 Info and relationships• 1.4.1 Use of Color• 1.4.4 Resize text• 1.4.5 Images of text• 1.4.10 Reflow• 1.4.11 Non-text contrast• 1.4.13 Content on Hover or Focus• 2.1.1 Keyboard• 2.1.2 No Keyboard trap

Criteria	Conformance Level	Remarks and Explanations
		<ul style="list-style-type: none"> • 2.4.7 Focus visible • 2.5.2 Pointer Cancellation. • 2.5.3 Label in Name • 3.1.2 Language of Parts • 3.3.1 Error Identification • 3.3.3 Error Suggestion • 4.1.2 Name, Role, Value
4.2.3 Usage without perception of color	Partially Supports	<p>Most functions of the product are usable without perception of color. The exceptions are noted in:</p> <ul style="list-style-type: none"> • 1.4.1 Use of Color • 1.4.5 Images of text • 1.4.11 Non-text contrast • 3.3.1 Error Identification • 3.3.3 Error Suggestion
4.2.4 Usage without hearing	Does Not Support	Because the product is an audio editor, it is not usable without hearing.
4.2.5 Usage with limited hearing	Partially Supports	Software: Because the product provides visual representations of audio, for example as waveforms, then the product may be usable with limited hearing.
4.2.6 Usage with no or limited vocal capability	Supports	The product does not require the use of speech.
4.2.7 Usage with limited manipulation or strength	Partially Supports	<p>Most of functions of the product are usable with limited manipulation or strength. The exceptions are noted in:</p> <ul style="list-style-type: none"> • 2.1.1 Keyboard • 2.1.2 No Keyboard trap • 2.4.7 Focus visible • 2.5.2 Pointer Cancellation
4.2.8 Usage with limited reach	Partially Supports	Most of the functions of the product are usable with limited reach. The exceptions are noted in:

Criteria	Conformance Level	Remarks and Explanations
		<ul style="list-style-type: none"> 2.5.2 Pointer cancellation
4.2.9 Minimize photosensitive seizure triggers	Supports	The product does not include any content which flashes.
4.2.10 Usage with limited cognition, language or learning	Partially Supports	<p>Most functions of the product are usable with limited language or learning. The exceptions are noted in:</p> <ul style="list-style-type: none"> 1.4.13 Content on hover or focus 2.4.7 Focus visible 2.5.2 Pointer cancellation 3.3.1 Error Identification 3.3.3 Error Suggestion
4.2.11 Privacy	Supports	The privacy of users of the features for accessibility provided by this product is maintained at the same level as other users.

Chapter [5: Generic Requirements](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
5.1 Closed functionality	Heading cell – no response required	Heading cell – no response required
5.1.2 General	Heading cell – no response required	Heading cell – no response required
5.1.2.1 Closed functionality	See 5.2 through 13	See information in 5.2 through 13
5.1.2.2 Assistive technology	See 5.1.3 through 5.1.6	See information in 5.1.3 through 5.1.6
5.1.3 Non-visual access	Heading cell – no response required	Heading cell – no response required
5.1.3.1 Audio output of visual information	Not Applicable	The product has no closed functionality.
5.1.3.2 Auditory output delivery including speech	Not Applicable	The product has no closed functionality.
5.1.3.3 Auditory output correlation	Not Applicable	The product has no closed functionality.
5.1.3.4 Speech output user control	Not Applicable	The product has no closed functionality.
5.1.3.5 Speech output automatic interruption	Not Applicable	The product has no closed functionality.
5.1.3.6 Speech output for non-text content	Not Applicable	The product has no closed functionality.

Criteria	Conformance Level	Remarks and Explanations
5.1.3.7 Speech output for video information	Not Applicable	The product has no closed functionality.
5.1.3.8 Masked entry	Not Applicable	The product has no closed functionality.
5.1.3.9 Private access to personal data	Not Applicable	The product has no closed functionality.
5.1.3.10 Non-interfering audio output	Not Applicable	The product has no closed functionality.
5.1.3.11 Private listening volume	Not Applicable	The product has no closed functionality.
5.1.3.12 Speaker volume	Not Applicable	The product has no closed functionality.
5.1.3.13 Volume reset	Not Applicable	The product has no closed functionality.
5.1.3.14 Spoken languages	Not Applicable	The product has no closed functionality.
5.1.3.15 Non-visual error identification	Not Applicable	The product has no closed functionality.
5.1.3.16 Receipts, tickets, and transactional outputs	Not Applicable	The product has no closed functionality.
5.1.4 Functionality closed to text enlargement	Not Applicable	The product has no closed functionality.
5.1.5 Visual output for auditory information	Not Applicable	The product has no closed functionality.
5.1.6 Operation without keyboard interface	Heading cell – no response required	Heading cell – no response required
5.1.6.1 Closed functionality	See 5.1.3.1 through 5.1.3.16	See information in 5.1.3.1 through 5.1.3.16
5.1.6.2 Input focus	Not Applicable	The product has no closed functionality.
5.1.7 Access without speech	Not Applicable	The product has no closed functionality.
5.2 Activation of accessibility features	Supports	Documented accessibility features that are required to meet a specific need can be activated without relying on a method that does not support that need.
5.3 Biometrics	Not Applicable	The product does not use biological characteristics.
5.4 Preservation of accessibility information during conversion	Not applicable	The audio files which the product can import do not provide accessibility information for conversion.
5.5 Operable parts	Heading cell – no response required	Heading cell – no response required
5.5.1 Means of operation	Not Applicable	The product has no operable parts.
5.5.2 Operable parts discernibility	Not Applicable	The product has no operable parts.
5.6 Locking or toggle controls	Heading cell – no response required	Heading cell – no response required

Criteria	Conformance Level	Remarks and Explanations
5.6.1 Tactile or auditory status	Not Applicable	The product does not have any locking or toggle controls.
5.6.2 Visual status	Not Applicable	The product does not have any locking or toggle controls.
5.7 Key repeat	Supports	The product relies on the Filter keys feature of the platform software to either ignore repeated keystrokes, or adjust the repeat delay and rate.
5.8 Double-strike key acceptance	Not Applicable	The product does not provide a keyboard or keypad.
5.9 Simultaneous user actions	Supports	The product relies on the Sticky keys feature of the platform software to provide a mode of operation that does not require simultaneous user actions to operate the product.

Chapter [6: ICT with Two-Way Voice Communication](#)

Notes: Not Applicable

Chapter [7: ICT with Video Capabilities](#)

Notes: Not Applicable

Chapter [8: Hardware](#)

Notes: Not Applicable

Chapter [9: Web](#) (see [WCAG 2.x section](#))

Notes: Not Applicable

Chapter [10: Non-Web Documents](#)

Notes: Not Applicable

Chapter [11: Software](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
11.0 General (informative)	Heading cell – no response required	Heading cell – no response required
11.1.1.1 through 11.4.1.3	See WCAG 2.x section	See information in WCAG 2.x section
11.5 Interoperability with assistive technology	Heading cell – no response required	Heading cell – no response required
11.5.1 Closed functionality	Heading cell – no response required	Heading cell – no response required
11.5.2 Accessibility services	Heading cell – no response required	Heading cell – no response required
11.5.2.1 Platform accessibility service support for software that provides a user interface	See 11.5.2.5 through 11.5.2.17	See information in 11.5.2.5 through 11.5.2.17
11.5.2.2 Platform accessibility service support for assistive technologies	See 11.5.2.5 through 11.5.2.17	See information in 11.5.2.5 through 11.5.2.17
11.5.2.3 Use of accessibility services	See information in 11.5.2.5 through 11.5.2.17	See information in 11.5.2.5 through 11.5.2.17
11.5.2.4 Assistive technology	Not Applicable	The product is not assistive technology.
11.5.2.5 Object information	Partially Supports	For most of the user interface elements, the object role, state(s), properties, boundary, and name are programmatically determinable by assistive technologies. Exceptions: <ul style="list-style-type: none">• 2.1.1 Keyboard.• The current value of many sliders that is read by assistive technology is given as a percentage, rather than the actual value of the property. However the actual value is provided either in a preceding text control, or

Criteria	Conformance Level	Remarks and Explanations
		<p>added to the accessibility name of the slider.</p> <ul style="list-style-type: none"> Some sliders have no accessibility name, though the purpose can normally be deduced from the previous text control.
11.5.2.6 Row, column, and headers	Supports	The contents of tables, including column headers, can be read by assistive technologies.
11.5.2.7 Values	Partially supports	<p>The range of allowable values associated with a control is not programmatically determinable by assistive technologies. The current value of most controls is programmatically determinable by assistive technologies. Exceptions:</p> <ul style="list-style-type: none"> 2.1.1 Keyboard. The current value of many sliders that is read by assistive technology is given as a percentage, rather than the actual value of the property. However the actual value is either provided in a preceding text control, or added to the accessibility name of the slider.
11.5.2.8 Label relationships	Partially Supports	<p>Nearly all label relationships are programmatically determinable by assistive technologies. Exceptions:</p> <ul style="list-style-type: none"> In some dialogs a text box and a slider share the same label, but the slider has an empty accessibility name.
11.5.2.9 Parent-child relationships	Partially Supports	Most parent-child relationships are

Criteria	Conformance Level	Remarks and Explanations
		programmatically determinable by assistive technologies. Exceptions: <ul style="list-style-type: none"> 2.1.1 Keyboard
11.5.2.10 Text	Partially Supports	In most cases, the content of text objects, text attributes, and the boundary of text rendered to the screen is programmatically determinable by assistive technologies. Exceptions include: <ul style="list-style-type: none"> The names of tracks, clips, and labels. However the content of these text objects is made available to users of assistive technology when relevant commands are executed.
11.5.2.11 List of available actions	Partially Supports	For most of objects the list of all actions is programmatically determinable by assistive technologies. Exceptions: <ul style="list-style-type: none"> 2.1.1 Keyboard. Custom controls for which the list of actions cannot be determined from its role. Examples include the tracks, and the time controls in the lower tool dock.
11.5.2.12 Execution of available actions	Partially Supports	When the lists of actions is available (see 11.5.2.11), the product allows assistive technology to programmatically execute available actions on objects.
11.5.2.13 Tracking of focus and selection attributes	Supports	The product makes information and mechanisms necessary to track focus, text insertion point, and selection attributes of user interface elements programmatically determinable by assistive technologies. Although the names of clips and labels in

Criteria	Conformance Level	Remarks and Explanations
		the main window are an exception to this, optional dialog boxes are provided to work round this issue.
11.5.2.14 Modification of focus and selection attributes	Supports	The product allows assistive technologies to programmatically modify focus, text insertion point, and selection attributes of user interface elements where the user can modify these items. Although the names of clips and labels in the main window are an exception to this, optional dialog boxes are provided to work round this issue.
11.5.2.15 Change notification	Partially Supports	The product notifies assistive technologies about changes in the properties of most interface elements which are relevant to user interactions. Exceptions: <ul style="list-style-type: none"> • 2.1.1 Keyboard.
11.5.2.16 Modifications of states and properties	Partially Supports	The product allows assistive technologies to programmatically modify states and properties of most user interface elements. Exceptions: <ul style="list-style-type: none"> • 2.1.1 Keyboard.
11.5.2.17 Modifications of values and text	Partially Supports	The product allows assistive technologies to modify values and text of most user interface elements. Exceptions: <ul style="list-style-type: none"> • 2.1.1 Keyboard. • The current value of many sliders that is read by assistive technology is given as a percentage, rather than the actual value of the property. However the actual value is either provided in a preceding text control, or

Criteria	Conformance Level	Remarks and Explanations
		added to the accessibility name of the slider.
11.6 Documented accessibility usage	Heading cell – no response required	Heading cell – no response required
11.6.1 User control of accessibility features	Not Applicable	The product is not platform software.
11.6.2 No disruption of accessibility features	Supports	The product does not disrupt platform accessibility features.
11.7 User preferences	Does Not Support	The product's user interface only follows some of the values of the user preferences for applicable platform settings. Exceptions: <ul style="list-style-type: none"> • It does not follow the platform settings for color or contrast. • It does not always follow the platform settings for text.
11.8 Authoring tools	Heading cell – no response required	Heading cell – no response required
11.8.1 Content technology	Heading cell – no response required	Heading cell – no response required
11.8.2 Accessible content creation	See WCAG 2.x section (If not authoring tool, enter "Not Applicable")	See information in WCAG 2.x section
11.8.3 Preservation of accessibility information in transformations	Not Applicable	Imported audio files do not contain accessibility information.
11.8.4 Repair assistance	Not Applicable	The product produces audio files. None of the requirements of Chapter 10 are applicable to these files, and so there is no need for any repair assistance.
11.8.5 Templates	Not Applicable	The product does not provide templates.

Chapter [12: Documentation and Support Services](#)

Notes: Accessibility Conformance Reports for documentation and support services are not currently available.

Chapter [13: ICT Providing Relay or Emergency Service Access](#)

Notes: Not Applicable

Legal Disclaimer (Company)

As of the date of filing, this document is believed to be accurate, though no guarantees are made. Information in this document are broadly applicable across the entire Audacity 3.x series.